Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	1	@ad<"20030822" and (activat\$3 or deactivat\$3) and WLAN near3 (baseband near3 circuit\$3) and ("25" near3 ppm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/20 15:03
L9	1	@ad<"20030822" and WLAN near3 (baseband near3 circuit\$3) and ("25" near3 ppm) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/20 15:03
L10	2	@ad<"20030822" and (baseband near3 circuit\$3) and ("25" near3 ppm) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/20 15:05
L11	4	@ad<"20030822" and (baseband with (processor or circuit\$3)) and ("25" near3 ppm) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/20 15:16
L12	4	@ad<"20030822" and (baseband or WLAN) same (processor or circuit\$3) and ("25" near3 ppm) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/20 15:40
L13		@ad<"20030822" and (baseband or WLAN) same (activat\$3 or deactivat\$3 or energy or fluctuation) and ("25" near3 ppm) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/20 15:41
L14	2	@ad<"20030822" and (baseband and WLAN) and (activat\$3 or deactivat\$3 or energy or fluctuation) and ("25" near3 ppm) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/20 15:44
L15		@ad<"20030822" and (baseband or WLAN) and (activat\$3 or deactivat\$3 or energy or fluctuation) and ("25" near3 ppm) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/20 15:45
L18	3	@ad<"20030822" and (baseband or WLAN or circuit\$3) same (activat\$3 or deactivat\$3) and (identif\$4 or scan\$4 or detect\$3 or recogniz\$3) same (signal or energy or fluctuation) and ("25" near3 ppm) and "802.11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/20 15:47

L19	7	@ad<"20030822" and ("25" near3 ppm) and "802.11" near3 standard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/20 16:12
L27	1	@ad<"20030822" and ("25" near3 ppm) and "802.11" and (baseband or circuitry or WLAN or energy or fluctuation) same (activat\$3 or deactivat\$3 or sleep\$3 or wak\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/20 16:13
L28	326	@ad<"20030822" and standard same "802.11" and (baseband or circuitry or WLAN or energy or fluctuation) same (activat\$3 or deactivat\$3 or sleep\$3 or wak\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/20 16:13
L29	204	@ad<"20030822" and standard same "802.11" and (baseband or circuitry or WLAN) same (activat\$3 or deactivat\$3 or sleep\$3 or wak\$3) and (identif\$4 or detect\$3 or scan\$4 or recogniz\$3) same (energy or fluctuation or signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/20 16:16
L30	98	@ad<"20030822" and standard near3 "802.11" and (baseband or circuitry or WLAN) with (activat\$3 or deactivat\$3 or sleep\$3 or wak\$3) and (identif\$4 or detect\$3 or scan\$4 or recogniz\$3) with (energy or fluctuation or signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/20 16:16
L31	13	@ad<"20030822" and standard near3 "802.11" and WLAN and (baseband or circuitry) with (activat\$3 or deactivat\$3 or sleep\$3 or wak\$3) and (identif\$4 or detect\$3 or scan\$4 or recogniz\$3) with (energy or fluctuation or signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/12/20 16:35
L32	16	@ad<"20030822" and "802.11" and WLAN and (baseband or circuitry) with (activat\$3 or deactivat\$3 or sleep\$3 or wak\$3) and (identif\$4 or detect\$3 or scan\$4 or recogniz\$3) with (energy or fluctuation or signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/20 16:36
S1	2	"20030118015"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 19:11

				l		
S2	2	"20030134650"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 12:25
S3	330	@ad<"20030822" and (scan\$4 or detect\$3 or determin\$3 or locat\$3) with (WLAN or (wireless adj LAN) or (wireless adj local adj area adj network)) and (contact\$3 or locat\$3 or quer\$4 or inquir\$3) with ((base adj station) or BSC or cell)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 13:46
S4	108	@ad<"20030822" and (scan\$4 or detect\$3 or determin\$3 or locat\$3) near3 (WLAN or (wireless adj LAN) or (wireless adj local adj area adj network) or (hot adj spot)) and (contact\$3 or locat\$3 or quer\$4 or inquir\$3) with ((base adj station) or BSC or cell) near3 location	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:05
S5	831	@ad<"20030822" and (scan\$4 or detect\$3 or determin\$3 or locat\$3) near3 (WLAN or (wireless adj LAN) or (wireless adj local adj area adj network) or (hot adj spot)) and (contact\$3 or locat\$3 or quer\$4 or inquir\$3) with ((base adj station) or BSC or cell or (hot adj spot) or WLAN) near3 (address or location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2007/03/26 14:07
S6	4	@ad<"20030822" and (scan\$4 or detect\$3 or determin\$3 or locat\$3) near3 (WLAN or (wireless adj LAN) or (wireless adj local adj area adj network) or (hot adj spot)) and (contact\$3 or locat\$3 or quer\$4 or inquir\$3) with ((base adj station) or (hot adj spot) or WLAN) near3 (physical or real or global or location or coordinate) near3 (address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:11
S7	14	@ad<"20030822" and (scan\$4 or detect\$3 or determin\$3 or locat\$3) with (WLAN or (wireless adj LAN) or (wireless adj local adj area adj network) or (hot adj spot)) and (contact\$3 or locat\$3 or quer\$4 or inquir\$3) with ((base adj station) or (hot adj spot) or WLAN) with (physical or real or global or location or coordinate) near3 (address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:16

58	404	@ad<"20030822" and WLAN and (scan\$4 or detect\$3 or determin\$3 or locat\$3) with (WLAN or (wireless adj LAN) or (wireless adj local adj area adj network) or (hot adj spot)) and (contact\$3 or locat\$3 or quer\$4 or inquir\$3 or request\$3 or receiv\$3) with ((base adj station) or (hot adj spot) or WLAN) with (physical or real or global or location or coordinate or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 15:24
S9 .	390	@ad<"20030822" and WLAN and (scan\$4 or detect\$3 or determin\$3 or locat\$3) with (WLAN or (wireless adj LAN) or (wireless adj local adj area adj network) or (hot adj spot)) and (contact\$3 or locat\$3 or quer\$4 or inquir\$3 or request\$3) with ((base adj station) or (hot adj spot) or WLAN) and (contact\$3 or locat\$3 or quer\$4 or inquir\$3 or request\$3 or receiv\$3) with ((base adj station) or (hot adj spot) or WLAN) with (physical or real or global or location or coordinate or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 15:25
S10	136	@ad<"20030822" and WLAN and (scan\$4 or detect\$3 or determin\$3 or locat\$3) with (WLAN or (wireless adj LAN) or (wireless adj local adj area adj network) or (hot adj spot)) and (contact\$3 or quer\$4 or inquir\$3 or request\$3) with ((base adj station) or (hot adj spot) or WLAN) and (locat\$3 or receiv\$3 or stor\$3 or sav\$3) with ((base adj station) or (hot adj spot) or WLAN) with (physical or real or global or location or coordinate or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 16:39
S11	10	@ad<"20030822" and WLAN and (scan\$4 or detect\$3 or determin\$3 or locat\$3) with (WLAN or (wireless adj LAN) or (wireless adj local adj area adj network) or (hot adj spot)) and (contact\$3 or quer\$4 or inquir\$3 or request\$3) with ((base adj station) or (hot adj spot) or WLAN) and (locat\$3 or receiv\$3 or stor\$3 or sav\$3) with ((base adj station) or (hot adj spot) or WLAN) with (physical or real or global) near3 (location or coordinate or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 16:44

			T			
S12	3	@ad<"20030822" and WLAN and (scan\$4 or detect\$3 or determin\$3 or locat\$3) with (WLAN or (wireless adj LAN) or (wireless adj LAN) or (wireless adj local adj area adj network) or (hot adj spot)) and (contact\$3 or quer\$4 or inquir\$3 or request\$3) with ((base adj station) or (hot adj spot) or WLAN) and (locat\$3 or receiv\$3 or stor\$3 or sav\$3) with ((base adj station) or (hot adj spot) or WLAN) with (physical or real or global or location or coordinate or address) and compar\$3 with (MAC adj address) with (BS or BSC or AP or (base adj station) or (access adj point) or WLAN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 16:41
S13	15	@ad<"20030822" and (WLAN or (hot adj spot)) and (scan\$4 or detect\$3 or determin\$3 or locat\$3) with (WLAN or AP or (wireless adj LAN) or (wireless adj local adj area adj network) or (hot adj spot) or (access adj point)) and (contact\$3 or quer\$4 or inquir\$3 or request\$3) with ((base adj station) or (hot adj spot) or WLAN or AP or (access adj point)) and (locat\$3 or receiv\$3 or stor\$3 or sav\$3 or log\$4) with ((base adj station) or (hot adj spot) or WLAN) with (physical or real or global) near3 (location or coordinate or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:15
S14	2	@ad<"20030822" and (WLAN or (hot adj spot)) and (scan\$4 or detect\$3 or determin\$3 or locat\$3) with (WLAN or AP or (wireless adj LAN) or (wireless adj local adj area adj network) or (hot adj spot) or (access adj point)) and (locat\$3 or receiv\$3 or stor\$3 or sav\$3 or log\$4 or transmit\$4 or transfer\$4) with ((base adj station) or (hot adj spot) or WLAN) with (physical or real or global) near3 (location or coordinate or address) and (MAC or (media adj access adj control)) adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:16

			y	r		
S15	3	@ad<"20030822" and (WLAN or (hot adj spot)) and (scan\$4 or detect\$3 or determin\$3 or locat\$3 or identif\$4) with (WLAN or AP or (wireless adj LAN) or (wireless adj local adj area adj network) or (hot adj spot) or (access adj point)) and (locat\$3 or receiv\$3 or stor\$3 or sav\$3 or log\$4 or transmit\$4 or transfer\$4 or identif\$4 or request\$3) with ((base adj station) or (hot adj spot) or WLAN) with (physical or real or global) near3 (location or coordinate or address) and (MAC or (media adj access adj control)) adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:23
S16	86	@ad<"20030822" and (WLAN or (hot adj spot)) and (scan\$4 or detect\$3 or determin\$3 or locat\$3 or identif\$4) with (WLAN or AP or (wireless adj LAN) or (wireless adj local adj area adj network) or (hot adj spot) or (access adj point)) and (locat\$3 or receiv\$3 or stor\$3 or sav\$3 or log\$4 or transmit\$4 or transfer\$4 or identif\$4 or request\$3) with ((base adj station) or (hot adj spot) or WLAN) with (physical or real or global or MAC or (media adj access adj control)) near3 (location or coordinate or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:24
S17	15	@ad<"20030822" and (WLAN or (hot adj spot)) and (scan\$4 or detect\$3 or determin\$3 or locat\$3 or identif\$4) with (WLAN or AP or (wireless adj LAN) or (wireless adj local adj area adj network) or (hot adj spot) or (access adj point)) and (locat\$3 or receiv\$3 or stor\$3 or sav\$3 or log\$4 or transmit\$4 or transfer\$4 or identif\$4 or request\$3) with ((base adj station) or (hot adj spot) or WLAN) with (physical or real or global or MAC or (media adj access adj control)) near3 (location or coordinate or address) and (check\$3 or compar\$3 or determin\$3 or detect\$3) with ((MAC or (media adj access adj control)) adj address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:26

S18	70	@ad<"20030822" and (WLAN or (hot adj spot)) and (scan\$4 or detect\$3 or determin\$3 or locat\$3 or identif\$4) with (WLAN or AP or (wireless adj LAN) or (wireless adj local adj area adj network) or (hot adj spot) or (access adj point)) and (locat\$3 or receiv\$3 or stor\$3 or sav\$3 or log\$4 or transmit\$4 or transfer\$4 or identif\$4 or request\$3) with ((base adj station) or (hot adj spot) or WLAN or AP or (access adj point)) with (physical or real or global or MAC or (media adj access adj control)) near3 (location or coordinate or address) and (compar\$3 or check\$3 or detect\$3 or determin\$3 or recogniz\$3) with ((MAC or (media adj access adj control)) adj address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:47
S19	40	@ad<"20030822" and (WLAN or (hot adj spot)) and (scan\$4 or detect\$3 or determin\$3 or locat\$3 or identif\$4) with (WLAN or AP or (wireless adj LAN) or (wireless adj local adj area adj network) or (hot adj spot) or (access adj point)) and (locat\$3 or receiv\$3 or stor\$3 or sav\$3 or log\$4 or transmit\$4 or transfer\$4 or identif\$4 or request\$3) with ((base adj station) or (hot adj spot) or WLAN or AP or (access adj point)) with (physical or real or global or MAC or (media adj access adj control)) near3 (location or coordinate or address) and (compar\$3 or detect\$3 or determin\$3 or recogniz\$3) with ((MAC or (media adj access adj control)) adj address) same (database or table or storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 19:36

S20	0	@ad<"20030822" and (WLAN or (hot adj spot)) and (scan\$4 or detect\$3 or determin\$3 or locat\$3 or identif\$4) with (WLAN or AP or (wireless adj LAN) or (wireless adj local adj area adj network) or (hot adj spot) or (access adj point)) and (locat\$3 or receiv\$3 or stor\$3 or sav\$3 or log\$4 or transmit\$4 or transfer\$4 or identif\$4 or request\$3) with ((base adj station) or (hot adj spot) or WLAN or AP or (access adj point)) with (physical or real or global or MAC or (media adj access adj control)) near3 (location or coordinate or address) and (compar\$3 or detect\$3 or determin\$3 or recogniz\$3) with ((MAC or (media adj access adj control)) adj address) same (database or table or storage) and (signature adj sequence)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 19:39
S21	9	@ad<"20030822" and (WLAN or (hot adj spot)) and (scan\$4 or detect\$3 or determin\$3 or locat\$3 or identif\$4) with (WLAN or AP or (wireless adj LAN) or (wireless adj local adj area adj network) or (hot adj spot) or (access adj point)) and (locat\$3 or receiv\$3 or stor\$3 or sav\$3 or log\$4 or transmit\$4 or transfer\$4 or identif\$4 or request\$3) with ((base adj station) or (hot adj spot) or WLAN or AP or (access adj point)) with (physical or real or global or MAC or (media adj access adj control)) near3 (location or coordinate or address) and (compar\$3 or detect\$3 or determin\$3 or recogniz\$3) with ((MAC or (media adj access adj control)) adj address) same (database or table or storage) and (signature or energy) near3 (fluctuation or sequence)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/06/05 18:14
S22	2	@ad<"20030822" and (request\$3 or ask\$3) near3 location with ((base adj station) or (access adj point)) same (MAC adj address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 18:15

S27 .	1	@ad<"20030822" and (activat\$3 or deactivat\$3) same WLAN near3 (baseband or circuit) same (energy or fluctuation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 19:19
S28	3	@ad<"20030822" and (activat\$3 or deactivat\$3) same WLAN near3 (baseband or circuit) and (identif\$4 or detect\$3) same (energy or fluctuation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 19:21
S29	4	@ad<"20030822" and (activat\$3 or deactivat\$3) same WLAN with (baseband or circuit) and (identif\$4 or detect\$3) same (energy or fluctuation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 19:22
S30	10	@ad<"20030822" and (activat\$3 or deactivat\$3) same WLAN with (baseband or circuit) and (identif\$4 or detect\$3) same (energy or fluctuation or signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 19:25
S31	0	@ad<"20030822" and (activat\$3 or deactivat\$3) and WLAN near3 (baseband near3 circuit) and (identif\$4 or detect\$3) same (energy or fluctuation or signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 19:28
S32	6	@ad<"20030822" and WLAN near3 (baseband near3 circuit\$3) and (identif\$4 or detect\$3) same (energy or fluctuation or signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 19:26
S33	10	@ad<"20030822" and WLAN with (baseband near3 circuit\$3) and (identif\$4 or detect\$3) same (energy or fluctuation or signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 19:27
S37	7	@ad<"20030822" and (activat\$3 or deactivat\$3) same WLAN near3 (baseband near3 circuit or process\$3) and (identif\$4 or detect\$3 or recogniz\$3) with (energy or fluctuation or signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 19:31
S38	3	@ad<"20030822" and (activat\$3 or deactivat\$3) same WLAN near3 (baseband near3 circuit\$3) and (identif\$4 or detect\$3 or recogniz\$3) with (energy or fluctuation or signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 19:31

S39	4	@ad<"20030822" and (activat\$3 or deactivat\$3) same WLAN near3 (baseband near3 circuit\$3) and (identif\$4 or detect\$3 or recogniz\$3) same (energy or fluctuation or signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 19:32
S40	4	@ad<"20030822" and (activat\$3 or deactivat\$3) same WLAN near3 (baseband near3 circuit\$3) and (energy or fluctuation or signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 19:32
S41	4	@ad<"20030822" and (activat\$3 or deactivat\$3) same WLAN near3 (baseband near3 circuit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/20 15:02
S42	4	@ad<"20030822" and (activat\$3 or deactivat\$3) same (WLAN or wireless) near3 (baseband near3 circuit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON ,	2007/12/19 19:32
S43	6	@ad<"20030822" and WLAN near3 (baseband near3 circuit\$3) and (identif\$4 or detect\$3 or recogniz\$3) same (energy or fluctuation or signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 19:32